



**6 gal (23 L)
FUEL
CAPACITY**



**Honda GX690
(688 cc)
AIR-COOLED
GASOLINE
ENGINE**



**165 rpm
MAXIMUM ROTOR
SPEED**



**36 in (91 cm)
4-BLADED
SPIDER**



Scan this QR code to learn more details about this product.

MP235

The patented MP235 Edger, with its unique rotating guard rings, allows you to run along the edges of walls, around columns and pipes—for a close, clean finish every time. This exclusive Allen rider allows you to edge within 5/16" of the edge of a wall, eliminating the need to hand finish those areas. This trowel features a stretched frame for improved productivity and operator comfort.



SPECIFICATIONS

SPECIFICATIONS	MP235
ENGINE	Honda GX690 (688 cc)
HORSEPOWER CLASS	22.1 hp (16.5 kW)
FUEL TYPE	Air-Cooled Gasoline
PANNING PATH WIDTH	85 in (216 cm) 6' Class
ROTOR DIAMETER	36 in (91.4 cm) 4-Bladed Spider
MAXIMUM ROTOR SPEED	165 rpm
STEERING CONTROL SYSTEM	Manual
FUEL CAPACITY	6 gal (23 L)
RETARDANT CAPACITY	6 gal (23 L)
WEIGHT	783 lb (355 kg)
DIMENSIONS (L X W X H)	86 x 39 x 53 in (218 x 99 x 135 cm)

PART NO.	MODEL NO.	DESCRIPTION
053176	TR-MP235	Mechanical "TC" Torque Converter Clutch Drive, Manual Steering, Twin 36' 4-blade rotors, Honda GX690 22hp class gas engine, rotating guard ring, 4 lights, power retardant spray, standard duty gear boxes, 45-165 RPM Rotor Speeds

PART NO.	MODEL NO.	OPTIONAL ACCESSORIES
039090	TR-DJMSP	Dolly Jacks, Pneumatic Tires, Set of two, 121 lb (55 kg)
067568	TR-LB25-3	Lifting Bridle - 2,500 lbs - 2-Point x 3', 14 lb (6 kg)

BLADE & PAN RECOMMENDATIONS

BLADES	MP235	
TYPE	PT. NO.	DESCRIPTION
FINISH	041695-4	6" x 14" Edger - Blue Series COMES WITH THE MACHINE
FLAT FINISH	N/A	N/A
COMBO	016095V-4	8" x 14" Combo - Silver Series
CLIP-ON FLOAT (LH)	N/A	N/A
CLIP-ON FLOAT (RH)	N/A	N/A
PLASTIC FINISH	048353-4	6" x 14" - Combo - Steel Reinforced


PANS	MP235	
TYPE	PT. NO.	DESCRIPTION
CLIP ON FLAT	039218	36" O.D. - 90° Lip - 4-Blade
SAFETY CATCH FLAT	N/A	N/A

TROWEL BLADES

Allen Engineering offers a complete line of finish blades, combination blades, and clip-on float shoes for your walk-behind or ride-on power trowels. We use high-quality steel or composite plastic with six high-strength rivets to maximize blade life. For the flattest floors, trust only Allen Finishing Blades. And, Allen Blades fit most other brands of walkers and riders.



Scan this QR code to learn more details about this product.



MP235

PART NO.	MODEL NO.	DESCRIPTION
041695-4	TBE6X14S-4	Edger Finish 6" x 14" Silver Series - set of 4, 11 lb (5 kg)
041695A-4	TBE6X14B-4	Edger 6" x 14" Blue Series - set of 4, 12 lb (5 kg)
016095V-4	TBC8-14V-4	Combo 8" x 14" VP Silver Series - set of 4, 14 lb (6 kg)

STEEL FLOAT PANS


Allen Engineering pioneered the use of floating discs (or pans) on riding trowels in 1989 and Allen® Pans remain today the finisher's choice when high FF Numbers are specified on a concrete floor. Allen's flat pan tolerances cut bumps and fill low spots in the concrete floor. Insist on Allen® Steel Pans for your Allen Riders and Walk-Behinds. Made to the same exacting tolerances as the trowels themselves, nothing finishes better.



Scan this QR code to learn more details about this product.



Safety Catch Pan



Clip-On Pan

TWO TYPES OF PANS

Allen offers both Flat (0" to 1/8" dish) and Mild-Dished (1/4" to 3/8" dish) steel pans. This gives contractors even more pan choices from Allen.



**MADE IN THE U.S.A.
FROM U.S. MADE
STEEL**

MP235

PART NO.	MODEL NO.	DESCRIPTION
039218-10	P4C3690-10	36" O.D., Allen Flat, 90° Lip Angle, 4-Blade, Clip On (Ten Pack), 320 lb (145 kg)